

Narrow Roll Service

Exactly what you need.

Narrow-width rolls. Improved lead times. Exceptional performance.

Expect the quality and print consistency you need for your production inkjet web presses, faster and more reliably.



....

Introducing narrow-width rolls of our most popular Sterling® items, warehoused to improve supply chain lead times for printers with production inkjet web presses designed to run coated papers.

Sterling offers exceptional optics, surface smoothness and consistency, paired with excellent roll condition for reliable runnability. A trusted brand for generations, Sterling is OEM recognized for its positive on-press performance and print quality.

The Sterling legacy continues. Building on the best of where we've been and the excitement of where we're going.

ROLL SIZES:

- 18" and 20" widths
- 50" OD
- 3" cores
- Single packed

Roll labels for items within the Narrow Roll Service program will be distinguished by an EX suffix.

Other roll sizes and grades remain available through normal ordering methods.

To learn more about 18" and 20" width rolls within this program please contact your Billerud Customer Service Representative at 800 258 8852.

COMMERCIAL INKJET WEB

Sterling® Ultra EX

NARROW ROLLS. READY TO RUN.

Sterling, a trusted brand for generations, has become the go-to coated paper for an expanding inkjet market with OEM recognition for its positive on-press performance and print quality. Sterling Ultra EX brings the same outstanding attributes you've come to rely on. It delivers exceptional optics, surface smoothness and consistency. And with roll condition to meet production inkjet print requirements, the choice to run with Sterling Ultra EX has never been easier.

FEATURES:

- Gloss and Matte finish
- 7 & 9 pt. offerings meet USPS minimum requirements
- Intended for production inkjet web presses designed to run coated papers[^]
- Roll condition that meets production inkjet printing requirements
- Smooth surface and excellent gloss ink holdout for crisp dot resolution and images that snap
- Consistent and reliable press performance and bindery throughput
- Fully backed by our best-in-class customer support
- Manufactured in the USA with Pride

APPLICATIONS:

- Annual reports
- Magazine inserts
- Direct mail
- Corporate brochures
- Catalogs
- Posters

Gloss Text								
392289	80	118	18	50	90	72	95	3.7
392288			20	50				
392330	100	148	18	50	90	72	97	4.6
392331			20	50				
Gloss Cover								
392377	7 pt.* (133 lb. T/73 lb. C)	197	18	50	90	70	98	7.3
392378			20	50				
392381	9 pt.** (162 lb. T/89 lb. C)	240	18	50	90	70	98.5	9.3
392392			20	50				
Matte Text								
392354	80	118	18	50	90	25	96.5	4.5
392353			20	50				

18

20

18

20

18

20

50

50

50

50

50

50

90

90

90

25

25

25

98

97

98

5.7

7.3

9.3

148

172

GSM Size Diameter Brightness Gloss Opacity Caliper

Material Number Basis Wt.

Gloss Toyl

392339

392338

392379

392380

392393

392394

Matte Cover

100

7 pt.* (116 lb. T/64 lb. C)

9 pt.** (143 lb. T/79 lb. C) 212

Noted '7 pt. and "9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted '7 pt. and "9 pt. minimum caliper items, Billerud manufactures to basis weight, not to specific bulk standards.

COMMERCIAL INKJET WEB

Sterling® Points EX

MORE INKJET OPTIONS. THAT'S THE POINT.

Sterling Points EX is a new, caliper cover grade that commercial printers can use in production inkjet web presses. Points expands the Sterling offering range with 8, 10, and 12 pt. C2S options to meet the paper needs of the inkjet print market. The unrivaled and proprietary soft-gloss finish delivers excellent legibility and high-quality image reproduction for commercial and packaging end uses.

FEATURES:

- 8, 10, and 12 pt. C2S
- Intended for production inkjet web presses designed to run coated papers[^]
- Ideal for a variety of applications requiring a structurally sound base with a graphic paper print surface
- Soft-gloss finish is a smooth, non-glare surface that balances exceptional print gloss and readability
- Demonstrated on-press and finishing performance
- Fully backed by our best-in-class customer support
- · Manufactured in the USA with Pride

Menus

APPLICATIONS:

Greeting cards

FoldersPosters

Direct mail
 Calendars

PostcardsPackaging

Signage

Basis Wt.	GSM					
	GSIVI	Size	Diameter	Brightness	Gloss	Opacity
3 pt. (130 lb. T/71 lb. C)	192	18	50	91	40	96
		20	50			
10 pt. (160 lb. T/88 lb. C)	237	18	50	91	40	97.5
		20	50			
12 pt. (187 lb. T/102 lb. C)	277	18	50	91	40	98
		20	50			
1	0 pt. (160 lb. T/88 lb. C)	0 pt. (160 lb. T/88 lb. C) 237	20 0 pt. (160 lb. T/88 lb. C) 237 18 20 2 pt. (187 lb. T/102 lb. C) 277 18	20 50 0 pt. (160 lb. T/88 lb. C) 237 18 50 20 50 2 pt. (187 lb. T/102 lb. C) 277 18 50	20 50 0 pt. (160 lb. T/88 lb. C) 237 18 50 91 20 50 2 pt. (187 lb. T/102 lb. C) 277 18 50 91	20 50 0 pt. (160 lb. T/88 lb. C) 237 18 50 91 40 20 50 2 pt. (187 lb. T/102 lb. C) 277 18 50 91 40

In all printing situations, the quality requirements and productivity expectations vary based upon the complexity of the end-use applications. While many OEM presses recommend coated offset paper, customers should verify product compatibility with the OEM, test substrates prior to use and consider the printing demands of the specific job.





Billerud Americas Corporation 8540 Gander Creek Drive Miamisburg, Ohio 45342 800 258 8852







